File 345:Inpadoc/Fam.& Legal Stat 1968-2001/UD=200144 (c) 2001 EPO 1 PN="US 5905514" s_1 ? t s1/39/1 1/39/1 DIALOG(R) File 345: Inpadoc/Fam. & Legal Stat (c) 2001 EPO. All rts. reserv. 14096076 Basic Patent (No, Kind, Date): GB 9723937 A0 19980107 <No. of Patents: 009> Patent Family: Patent No Kind Date Applic No Kind Date A1 19980514 DE 19749669 DE 19749669 Α 19971110 A0 19980107 A0 20010808 A0 20010815 GB 9723937 GB 9723937 Α 19971112 (BASIC) GB 200114722 GB 200114722 Α 19971112 GB 200115608 GB 200115608 Α 20010626 GB 2319224 A1 19980520 GB 9723937 Α 19971112 GB 200114722 GB 2360016 A1 20010912 Α 19971112 Α B2 20010808 GB 2319224 GB 9723937 19971112 Α A2 19980526 JP 97302872 JP 10138502 19971105 Α US 747857 US 5905514 Α 19990518 19961113 Priority Data (No, Kind, Date): US 747857 A 19961113 GB 9723937 A3 19971112 PATENT FAMILY: GERMANY (DE) Patent (No, Kind, Date): DE 19749669 A1 19980514 SYSTEM ZUM NASSREINIGEN EINES DRUCKKOPFES MIT DIREKTEM KONTAKT (German) Patent Assignee: HEWLETT PACKARD CO (US) Author (Inventor): RHOADS WISTAR W (US); JOHNSON ERIC JOSEPH (US); CASTLE STEVE (US); DROGO FRANK (US); FERRARO JOHN (US); MARTINSON PAUL E (US); MATTIS ERIC (US) Priority (No, Kind, Date): US 747857 A 19961113 Applic (No, Kind, Date): DE 19749669 A 19971110 IPC: * B41J-029/17 Derwent WPI Acc No: * G 98-243447 Language of Document: German GERMANY (DE) Legal Status (No, Type, Date, Code, Text): 19961113 DE AA PRIORITY (PATENT DE 19749669 P APPLICATION) (PRIORITAET (PATENTANMELDUNG)) US 747857 A 19961113 19971110 DE AE DOMESTIC APPLICATION (PATENT DE 19749669 APPLICATION) (INLANDSANMELDUNG (PATENTANMELDUNG)) DE 19749669 A 19971110 DE 19749669 19980514 DE A1 LAYING OPEN FOR PUBLIC INSPECTION (OFFENLEGUNG) Р 20010809 DE 8127 DE 19749669 NEW PERSON/NAME/ADDRESS OF THE APPLICANT (AENDERUNG IN PERSON, NAMEN

STIC-EIC 2800 CP4-9C18

ODER WOHNORT DES ANMELDERS)

HEWLETT-PACKARD CO. (N.D.GES.D.STAATES DELAWARE), PALO ALTO, CALIF., US

```
GREAT BRITAIN (GB)
  Patent (No, Kind, Date): GB 9723937 A0 19980107
   WET-WIPING PRINTHEAD CLEANING SYSTEM (English)
   Patent Assignee: HEWLETT PACKARD CO
   Priority (No, Kind, Date): US 747857 A
   Applic (No, Kind, Date): GB 9723937 A
   Derwent WPI Acc No: * G 98-243447
   Language of Document: English
  Patent (No, Kind, Date): GB 200114722 A0 20010808
   WET-WIPING PRINTHEAD CLEANING SYSTEM (English)
    Patent Assignee: HEWLETT PACKARD CO
   Priority (No, Kind, Date):
                               GB 9723937
                                             Α3
                                                   19971112; US 747857 A
     19961113
   Applic (No, Kind, Date): GB 200114722 A
                                             19971112
   Derwent WPI Acc No: * G 98-243447
   Language of Document: English
  Patent (No, Kind, Date): GB 200115608 A0 20010815
   WET WIPING PRINTHEAD CLEANING SYSTEM (English)
   Patent Assignee: HEWLETT PACKARD CO
   Priority (No, Kind, Date): US 747857 A
                                             19961113
   Applic (No, Kind, Date): GB 200115608 A
                                            20010626
   Derwent WPI Acc No: * G 98-243447
   Language of Document: English
                                     A1 19980520
  Patent (No, Kind, Date): GB 2319224
   WET WIPING PRINTHEAD CLEANING SYSTEM (English)
   Patent Assignee: HEWLETT PACKARD CO
                                         (US)
   Author (Inventor): RHOADS W WISTAR; JOHNSON ERIC JOSEPH; CASTLE STEVE;
    DROGO FRANK; FERRARO JOHN; MARTINSON PAUL E; MATTIS ERIC
   Priority (No, Kind, Date): US 747857 A
                                           19961113
   Applic (No, Kind, Date): GB 9723937 A
                                            19971112
   National Class: * B6F FLR FLR
   IPC: * B41J-002/165
   Derwent WPI Acc No: * G 98-243447; G 98-243447
   Language of Document: English
  Patent (No, Kind, Date): GB 2360016 A1 20010912
   WET-WIPING PRINTHEAD CLEANING SYSTEM AND COMPOSITE WIPER THEREFORE
      (English)
   Patent Assignee: HEWLETT PACKARD CO
                                         (US)
   Author (Inventor): MATTIS ERIC (US); DROGO FRANK (US); FERRARO JOHN
         (US); MARTINSON PAUL E (US); RHOADS W WISTAR
                                                        (US); JOHNSON ERIC
     JOSEPH (US); CASTLE STEVE
                                 (US)
   Priority (No, Kind, Date):
                              GB 9723937
                                             A3
                                                   19971112; US 747857 A
     19961113
   Applic (No, Kind, Date): GB 200114722 A
                                             19971112
   National Class: * B6F FLR FLR
   IPC: * B41J-002/165
   Derwent WPI Acc No: * G 98-243447
Language of Document: English
                                         20010808
 Patent (No, Kind, Date): GB 2319224
                                     B2
   WET-WIPING PRINTHEAD CLEANING SYSTEM (English)
   Patent Assignee: HEWLETT PACKARD CO
                                         (US)
   Author (Inventor):
                        RHOADS W WISTAR (US); JOHNSON ERIC JOSEPH (US);
      CASTLE STEVE (US); DROGO FRANK (US); FERRARO JOHN (US); MARTINSON
            (US); MATTIS ERIC
                                (US)
     PAUL E
   Priority (No, Kind, Date): US 747857 A
                                            19961113
   Applic (No, Kind, Date): GB 9723937 A
                                           19971112
```

National Class: * B6F FLR FLR IPC: * B41J-002/165 Derwent WPI Acc No: * G 98-243447 Language of Document: English GREAT BRITAIN (GB) Legal Status (No, Type, Date, Code, Text): PRIORITY (PATENT) P 19961113 GB AA GB 2319224 US 747857 A 19961113 APPLICATION DATA (APPL. GB 2319224 Р 19971112 GB AE DATA) 19971112 GB 9723937 A APPLICATION PUBLISHED Ρ 19980520 GB A1 GB 2319224 (APPL. PUBLISHED) Р 20010509 GB 732E PROCEEDING UNDER SECTION 32 GB 2319224 PATENTS ACT 1977 (PROC. UNDER SECT. 32 PAT. ACT 1977) 20010808 GB B2 Р PATENT GRANTED GB 2319224 GB 2360016 Ρ 19961113 GB AA PRIORITY (PATENT) US 747857 A 19961113 APPLICATION NO OF BASIC Ρ 19971112 GB AA GB 2360016 APPLICATION (APPL. NO OF BASIC APPL.) GB 9723937 A3 19971112 GB 2360016 Р 19971112 GB AE APPLICATION DATA (APPL. DATA) GB 200114722 A 19971112 20010912 GB A1 Р APPLICATION PUBLISHED GB 2360016 (APPL. PUBLISHED) JAPAN (JP) Patent (No, Kind, Date): JP 10138502 A2 19980526 CLEANING UNIT OF PRINT HEAD OF INK JET PRINTER (English) Patent Assignee: HEWLETT PACKARD CO Author (Inventor): RHOADS WISTAR W; JOHNSON ERIC JOSEPH; CASTLE STEVE; DROGO FRANK; FERRARO JOHN; MARTINSON PAUL E; MATTIS ERIC Priority (No, Kind, Date): US 747857 A 19961113 Applic (No, Kind, Date): JP 97302872 A 19971105 IPC: * B41J-002/165 Derwent WPI Acc No: * G 98-243447 Language of Document: Japanese UNITED STATES OF AMERICA (US) Patent (No, Kind, Date): US 5905514 A 19990518 SERVICING SYSTEM FOR AN INKJET PRINTHEAD (English) Patent Assignee: HEWLETT PACKARD CO (US) Author (Inventor): RHOADS W WISTAR (US); JOHNSON ERIC JOSEPH CASTLE STEVE (US); DROGO FRANK (US); FERRARO JOHN (US); MARTINSON PAUL E (US); MATTIS ERIC (US) Priority (No, Kind, Date): US 747857 A 19961113 Applic (No, Kind, Date): US 747857 A 19961113 National Class: * 347033000; 347031000 IPC: * B41J-002/165 Derwent WPI Acc No: * G 98-243447 Language of Document: English UNITED STATES OF AMERICA (US)

STIC-EIC 2800 CP4-9C18

(APPL. DATA (PATENT))

APPLICATION DATA (PATENT)

Legal Status (No, Type, Date, Code, Text):

P 19961113 US AE

US 5905514

11/14/2001 Serial No.:08/747,857

US 747857 A 19961113

US 5905514 P 19970725 US AS02 ASSIGNMENT OF ASSIGNOR'S

INTEREST

HEWLETT-PACKARD COMPANY 3000 HANOVER STEET LEGAL DEPARTMENT, M/S 20BN PALO ALTO,; RHOADS, W. WISTAR: 19970710; JOHNSON, ERIC JOSEPH: 19961101; CASTLE, STEVE: 19970701;

DROGO, FRANK : 19970711; FERRAR : 19961031;

US 5905514 P 19990518 US A PATENT

US 5905514 P 20010821 US RF REISSUE APPLICATION FILED

(REISSUE APPL. FILED)

20010517

LexisNexis	(Practice Area Pages)	Change Client	Options	Feedback	Sign Off	Help
Search Search Advisor ▶ Get a Document Sources Guided Search Forms	t) Check a Citation I		edata seik ralia sisse e	eninining and a second	CLIPSE"*	Histor
All Sources > Area of Law - By Topic > Pater	nt Law > Patents > L	J.S. Patents >	Utility P	atents 🕣		
Enter Search Terms	Vap	orige to an address of the control o				
Terms and Connectors Natural Language						
US5905514	Salangia ng thuntan lui, luich luich shi dhuar luich luich na 1993.	△ Search				
Use connectors to show relation of terms (cat or feline	, jane w/3 doe) <u>more</u>	·				
Suggest Words and Concepts for Enter	ed Terms					
Restrict Search Using Document Segment	ents					
Optional: Restrict by Date ● No Date Restrictions ▼ ○ From		То				
Search Search Adv Eclipse(TM) History Practice Area About Lo		Options Feedb		ff Help		

 $\underline{\text{Copyright}\, \textcircled{o}} \ \ \textbf{2001 LexisNexis, a division of Reed Elsevier Inc. All rights reserved}.$

FOREIGN PATENT DOCUMENTS

)	465	260	A2	1/	1992	*	European	Patent	Office	(EPO)	
)	513	833	A2	11/	1992	*	European	Patent	Office	(EPO)	
)	671	272	A2	9/	1995	*	European	Patent	Office	(EPO)	
	5	9-14	693	1/	1984	*	Japan				
	59	9-14:	962	1/	1984	*	Japan				
	5.5	9-45	163	3/	1984	*	Japan				
	5.9	9-45	162	3/198	4 *	Japan	ı				
	59	-209	876	11/198	4 *	Japan	L				
	2 -	-202	452	8/199	* 00	Japan	L				
	3	3-90	362	4/199	1 *	Japan	L				
	3	3-99	857	4/199	1 *	Japan	L				
	4	1-37	556	2/199	2 *	Japan	L				
	4 -	-307	256	10/199	2 *	Japan	L			347#33	
	4 -	-338	552	11/199	2 *	Japan	L				
	5 -	-162	320	6/199	3 *	Japan	L			347#33	
	6-	-234	221	8/199	4 *	Japan	ı				

PRIM-EXMR: Le, N.

0

ASST-EXMR: Tran, Thien

LEGAL-REP: Potts; Jerry R.

CORE TERMS: fluid, applicator, reservoir, wiping, printer, orifice, ink, foam, pen, porous, service station, container, wick, carriage, layer, alternate, roller, sled, servicing, elastomeric, capillary, tumbler, wheel, appreciated, partially, cleaning, nozzle, pump, cap, transferred

ABST:

A wet-wiping printhead cleaning system for inkjet printer incorporating a wiper for wiping the printhead including a treatment fluid applicator configured for placing treatment fluid onto at least one element of the printhead and wiper elements involved in wiping the printhead orifice plate surface, the treatment fluid being placed on said at least one element by direct contact of the applicator, subsequently the wiper wipes the printhead, the treatment being available to enhance cleaning effectiveness, the treatment fluid lubricating the wiper so as to lengthen wiper service life and enhance wiping performance, as well as acting to render unwanted accumulations on the printhead more removable by wiping.

NO-OF-CLAIMS: 26

EXMPL-CLAIM: 1

NO-OF-FIGURES: 42

NO-DRWNG-PP: 21

PARCASE:

RELATED APPLICATIONS

This application is related to three other co-owned applications filed concurrently herewith, namely: U.S. patent application Ser. No. 08/747,855 filed on Nov. 13, 1996 entitled WET-WIPING PRINTHEAD CLEANING SYSTEM USING A TRANSFER ELEMENT, HP Docket No. 10961139; U.S. patent application Ser. No. 08/747,884 filed on Nov. 13, 1999 entitled

Source: All Sources > Area of Law - By Topic > Patent Law > Patents > U.S. Patents > Utility Patents

Terms: 5905514 (Edit Search)

Pat. No. 5905514, *

5,905,514

◆ GET 1st DRAWING SHEET OF 21

May 18, 1999

Servicing system for an inkjet printhead

REISSUE: Reissue Application filed May 17, 2001 (O.G. Aug. 21, 2001) Ex. Gp.: 2861; Re. S.N. 09/859,692

INVENTOR: Rhoads, W. Wistar, Escondido, California

Johnson, Eric Joseph, Encinitas, California

Castle, Steve, Philomath, Oregon Drogo, Frank, San Marcos, California Ferraro, John, San Diego, California Martinson, Paul E., Escondido, California Mattis, Eric, La Jolla, California

ASSIGNEE-AT-ISSUE: Hewlett-Packard Company, Palo Alto, California (02)

APPL-NO: 747,857

FILED: Nov. 13, 1996

INT-CL: [6] B41J 2#165

US-CL: 347#33; 347#31

CL: 347

SEARCH-FLD: 342#33, 28, 22, 23, 31, 32; 15#256.05; 134#169R; 347#33, 28, 22, 23, 31,

32; 400#701

REF-CITED:

U.S. PATENT DOCUMENTS

4,306,245	12/1981	*	Kasugayama et al.	347#33
5,051,758	9/1991	*	Markham	347#28
5,300,958	4/1994	*	Burke et al.	347#28
5,339,098	8/1994	*	Nagatomo et al.	
5,396,271	3/1995	*	Premnath	
5,552,811	9/1996	*	Kurata et al.	347#28
5,635,965	6/1997	*	Purwins et al.	
5,706,038	1/1998	*	Jackson et al.	
5,793,389	8/1998	*	Mitchell	347#28



WET-WIPING PRINTHEAD CLEANING SYSTEM USING A PRINTHEAD TREATMENT FLUID STORED IN A NON-FLOWABLE STATE, HP Docket No. 10961134; and U.S. patent application Ser. No. 08/747,883 filed Nov. 13, 1999 entitled WET-WIPING PRINTHEAD CLEANING SYSTEM USING A NON-CONTACT TECHNIQUE FOR APPLYING A PRINTHEAD TREATMENT FLUID, HP Docket No. 10961138.

SUM:

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to the cleaning of printheads in computer-driven printers of the type generally known as inkjet printers. More particularly, the invention relates to such cleaning in printers employing a "wiper" which slidingly engages and wipes a nozzle orifice plate surface of a printhead to remove excess ink and accumulated debris to improve printhead performance and print quality.

2. Description of the Related Art


Ink-jet printing systems typically operate by ejecting ink from a plurality of small, closely-spaced nozzles located on the printhead. For proper functioning, an ink-jet printhead must be routinely serviced.

During printing, stray droplets of ink, dust, paper fibers and other debris can accumulate around the nozzles on the orifice plate surface and interfere with the trajectory of subsequently ejected ink droplets, thereby affecting print quality. To minimize this, the ink-jet printhead can be cleaned by intermittently wiping the orifice plate surface to remove the accumulated ink and debris.

During periods of inactivity, ink in the nozzles can dry or harden, plugging the nozzles. Thus, ink-jet printheads may be capped to maintain an appropriate environment around the nozzles and to postpone their clogging. This capping may be done automatically after a short period of inactivity, even during the middle of printing a page, if the printer is waiting for more data.


Inkjet printers generally have a printhead service station to which an inkjet printhead is moved by the carriage, and a cap which sealingly contacts the printhead is generally located at the service station. At the service station, the printhead (or multiple heads if such are used) are occasionally cleaned and, if necessary, primed with ink. For use in this cleaning function wipers are located at the service station. The service station can include a "sled" carrying these elements and others required to service the one or more printheads of the printer. This sled itself can be moved transversely to an axis of motion of the printhead carriage, for example in a vertical direction, so as to bring the caps or wipers for example into or out of contact with the printhead. Alternatively, a tumbler can be provided at the service station, and wipers, as well as caps, can be located on the tumbler. Rotation (and in some cases also vertical movement) of the tumbler effects wiping of the printhead, and/or alignment of one or more caps with one or more printheads positioned adjacent the tumbler at the service station.

To improve printing speed and the clarity and contrast of the printed image, recent advancements in the art have focused on improving the ink itself. For example, to provide faster, more waterfast printing with darker blacks and more vivid colors, improved pigment-based inks for inkjet applications have been developed. These pigment-based inks have a higher suspended solids content than earlier dye-based inks. Both types of ink dry quickly, which allows inkjet printing mechanisms to use plain paper. However, the combination of small nozzles and quick-drying ink leaves the printheads susceptible to clogging, in this case not only from the dried ink and minute dust particles or paper fibers, but also from the solids within the inks themselves. Further, this dried ink is more difficult to remove than previously



<u>All Sources</u> > <u>Area of Law - By Topic</u> > <u>Patent Law</u> > <u>Multi-Source Groups</u> > <u>Patent Cases from Federal Courts and Administrative Materials</u>

Enter Search	n Terms]
• Terms and Co	onnectors 🔘 Natural	Language		and the second s		
5905514	Ligging region of interestable and inter	rights a suit fluight fluid from a suit sinn history.		Sear □	ch	
Use connectors	to show relation of terr	ns (cat or felin	e, jane w/3 doe) <u>m</u>	ore		
Suggest	Words and Conce	pts for Ente	ered Terms			
Restrict S	Search Using Doc	ument Segr	ments	.· ·		
Optional: Res	strict by Date					
No Date	e Restrictions ▼	O From	and a supplied of the supplied	То	A CONTRACTOR OF THE CONTRACTOR	
				·	· · · · · · · · · · · · · · · · · · ·	
		y Practice Are			k a Citation eedback Signoff He	<u>lp</u>



- · Check for spelling errors.
- Remove some search terms.
- Use more common search terms.
- If applicable, look for all dates.



About LexisNexis | Terms and Conditions

LexisNexis* Search Search Advisor Get a Documer	nt Check a Citation)	> }		ECLIPSE TM Histo
Sources Guided Search Forms				
All Sources > News > News Group File, All	A			
Enter Search Terms				
• Terms and Connectors Natural Language		vision of the second se		
5905514	agan panananan di apamangan pananan na angan angan pangan pananan pananan na angan sa angan na angan na angan n	△ Search		
,		▼		
Use connectors to show relation of terms (cat or feline	e, jane w/3 doe) <u>more</u>	in the second		
Suggest Words and Concepts for Ente	ered Terms	•	•	
Restrict Search Using Document Segn	nents			
Optional: Restrict by Date	onenner famoleum o en colo en la colo colo en la colo e	anninanananan oranga ana ana ana	CONNECTO CONTRACTOR	
No Date Restrictions ▼ ○ From		То		
	•			
Eclipse(TM) History Practice Are	visor Get a Docume a Pages Change Client LexisNexis Terms and Co	Options Feedbac		

 $\underline{\text{Copyright}} \ \underline{\circledcirc} \ \ \text{2001 LexisNexis, a division of Reed Elsevier Inc. All rights reserved}.$



- · Check for spelling errors.
- Remove some search terms.
- Use more common search terms.
- If applicable, look for all dates.

Edit Search

About LexisNexis | Terms and Conditions

 $\underline{Copyright \, @} \ \ 2001 \ LexisNexis, a \ division \ of \ Reed \ Elsevier \ Inc. \ All \ rights \ reserved.$

LexisNexis*		Practice Area Pages	Change Client	Options	Feedback	Sign Off	Help
Search Search Advisor Get a	Document)	Check a Citation	Ü			ECUP\$E™	Histor
Sources Guided Search Forms							
All Sources > Area of Law - By Topi	c > Patent L	<u>.aw</u> > <u>Law Revie</u>	ws & Journals	<u>s</u> > Journa	al of Law	and	
Fechnology 🔁							
Enter Search Terms							
● Terms and Connectors ○ Natural Land	guage						
5905514	Carleinada (- in Canaillean (- in Chaillean)	nunga inggahigagaga. Ting bahasay tanbahasan dalah tala	△ Search	And the second second			
Use connectors to show relation of terms (o	cat or feline ia	ne w/3 doe) more					
		· 					•
Suggest Words and Concepts	for Entered	rerms					
Restrict Search Using Docume	ent Segmen	its:					
Optional: Restrict by Date							
	From	to be the lower than	То				
	 		- 				

 $\underline{Copyright \, \textcircled{\otimes}} \ \ 2001 \ LexisNexis, a \ division \ of \ Reed \ Elsevier \ Inc. \ All \ rights \ reserved.$




- Check for spelling errors.
- · Remove some search terms.
- Use more common search terms.
- If applicable, look for all dates.

Edit Search

About LexisNexis | Terms and Conditions

Copyright © 2001 LexisNexis, a division of Reed Elsevier Inc. All rights reserved.

11/14/01 1:46 PM





- Check for spelling errors.
- Remove some search terms.
- Use more common search terms.
- If applicable, look for all dates.



About LexisNexis | Terms and Conditions

 $\underline{Copyright \, \textcircled{o}} \ \ 2001 \ LexisNexis, a \ division \ of \ Reed \ Elsevier \ Inc. \ All \ rights \ reserved.$

*LexisNexis**	(Practice Area Pages)	Change Client	Options	Feedback	Sign Off	Help
Search Advisor Getta	Document) Checka Citation	i i i i di i i i i i i i i i i i i i i		E	ĊĽIPSE™	Histo
Sources Guided Search Forms						
All Sources > Area of Law - By Top	IC - Paterit Law - Law INEVIEWS	***************************************				
	TIC - I atent Law - Law I Teviews			•	-	
Review Articles	IIC - Patent Law - Law Neviews				-	
	IIC - Paterit Law - Law Neviews				-	
Review Articles 🐧			, , , , , , , , , , , , , , ,			
Review Articles ① Enter Search Terms		Search	Community of the Control of the Cont			

Suggest Words and Concepts for Entered Terms

▼ ○ From

♠ Restrict Search Using Document Segments

Optional: Restrict by Date

• No Date Restrictions

Search | Search Advisor | Get a Document | Check a Citation

Eclipse(TM) | History | Practice Area Pages | Change Client | Options | Feedback | Signoff | Help

About LexisNexis | Terms and Conditions



- Check for spelling errors.
- Remove some search terms.
- Use more common search terms.
- If applicable, look for all dates.

Edit Search

About LexisNexis | Terms and Conditions

QUESTEL.ORBIT (TM) 1998

?nbr /pn us5905514

```
1 US5905510
         1 US5905511
         1 US5905512
         1 US5905513
         1 US5905514
         1 US5905515
 7
         1 US5905516
         1 US5905517
 8
 9
         1 US5905518
         1 US5905519
10
         1 US590552
11
12
         1 US5905520
         1 US5905521
13
         1 US5905522
14
         1 US5905523
Some: numbers / Continue: Y / None: N
```

?s 5

** SS 1: Results 1 Continue: Y / N

?prt full legalall max

```
1/1 PLUSPAT - (C) QUESTEL-ORBIT- image
   - US5905514 A 19990518 [US5905514]
   - (A) Servicing system for an inkjet printhead
   - (A) HEWLETT PACKARD CO (US)
   - (A) RHOADS W WISTAR (US); JOHNSON ERIC JOSEPH (US); CASTLE STEVE
      (US); DROGO FRANK (US); FERRARO JOHN (US); MARTINSON PAUL E (US);
      MATTIS ERIC
                 (US)
   - US74785796 19961113
ΑP
                            [1996US-0747857]
   - US74785796 19961113
                           [1996US-0747857]
    - (A) B41J-002/165
   - B41J-002/165C3
PCL - ORIGINAL (O) : 347033000; CROSS-REFERENCE (X) : 347031000
    - Corresponding document
   - US4306245; US5051758; US5300958; US5339098; US5396271; US5552811;
     US5635965; US5706038; US5793389; EP0465260 A2; EP0513833 A2; EP0671272
      A2; JP59-14693; JP59-14962; JP59-45163; JP59-45162; JP59-209876;
      JP2-202452; JP3-90362; JP3-99857; JP4-37556; JP4-307256; JP4-338552;
      JP5-162320; JP6-234221
STG - (A) United States patent
```

AB - A wet-wiping printhead cleaning system for inkjet printer incorporating a wiper for wiping the printhead including a treatment fluid applicator configured for placing treatment fluid onto at least one element of the printhead and wiper elements involved in wiping the printhead orifice plate surface, the treatment fluid being placed on said at least one element by direct contact of the applicator, subsequently the wiper wipes the printhead, the treatment being available to enhance cleaning effectiveness, the treatment fluid lubricating the wiper so as to lengthen wiper service life and enhance

Serial No.:08/747,857 11/14/2001

wiping performance, as well as acting to render unwanted accumulations on the printhead more removable by wiping.

1/1 LGST - (C) LEGSTAT PN - US 5905514 [US5905514] AP - US 747857/96 19961113 [1996US-0747857] DT - US-P ACT - 19961113 US/AE-A APPLICATION DATA (PATENT) {US 747857/96 19961113 [1996US-0747857]} - 19970725 US/AS02 ASSIGNMENT OF ASSIGNOR'S INTEREST HEWLETT-PACKARD COMPANY 3000 HANOVER STEET LEGAL DEPARTMENT, M/S 20BN PALO ALTO, * RHOADS, W. WISTAR : 19970710; JOHNSON, ERIC JOSEPH : 19961101; CASTLE, STEVE : 19970701; DROGO, FRANK : 19970711; FERRAR : 19961031; - 19990518 US/A PATENT - 20010821 US/RF REISSUE APPLICATION FILED

UP - 2001-40

1/1 CRXX - (C) CLAIMS/RRX

AN - 3149852

PN - 5,905,514 A 19990518 [US5905514]

PA - Hewlett-Packard Co

- E (Electrical)

20010517

ACT - 20010116 REASSIGNED

MERGER

Assignor: HEWLETT-PACKARD COMPANY DATE SIGNED: 05/20/1998

Assignee: HEWLETT-PACKARD COMPANY INTELLECTUAL PROPERTY ADMINISTRATION P.O. BOX 272400 FORT COLLINS, COLORADO 80527-240

Reel 011523/Frame 0469

Contact: HEWLETT-PACKARD COMPANY VALERIE BAKES INTELLECTUAL PROPERTY ADMINISTRATION P.O. BOX 272400 FORT COLLINS, CO 80527-2400

- 20010517 REISSUE REQUESTED ISSUE DATE OF O.G.: 20010821 REISSUE REQUEST NUMBER: 09/859692 EXAMINATION GROUP RESPONSIBLE FOR REISSUEPROCESS: 2861

Reissue Patent Number:

UP - 2001-28 UACT- 2001-08-21 URAS- 2001-07-10

1/1 PAST - (C) PAST AN - 200134-001351

PN - 5905514 A [US5905514]

STIC-EIC 2800 CP4-9C18

Serial No.:08/747,857 11/14/2001

DT - A (UTILITY) OG - 2001-08-21 CO - REA

4 t , w

ACT - REISSUE APPLICATION FILED SH - REISSUE APPLICATION FILED